

	Type	Hits	Search Text	DBs
1	BRS	1	(server near3 notified) same invalidation	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	10437	invali\$ near3 data	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	3213	(invali\$ near3 data) and cache	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	2	5802582.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	5802582.pn. and server	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	2	6275908.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	6275908.pn. and server	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	1	6026413.pn. and server	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	1	5802582.pn. and network	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	0	(invalidat\$ near2 data) same (notify near2 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1	(valid\$ near2 data) same (notify near2 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	8	(check\$ near2 data) same (notify near2 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	357	user near3 bid	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	34	(user near3 bid) with item	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
59	BRS	2671	705/26 or 705/37	USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	28	(705/26 or 705/37) and (match\$ near2 rules)	USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	7	((705/26 or 705/37) and (match\$ near2 rules)) and (automatica\$ near2 updat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	103	valid\$ near2 price	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	60	(valid\$ near2 price) and (compar\$ or match\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	((valid\$ near2 price) and (compar\$ or match\$)) and rules) and (caches)	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	((valid\$ near2 price) and (compar\$ or match\$)) and rules) and (cache near2 system)	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	15	((valid\$ near2 price) and (compar\$ or match\$)) and rules	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	8844	cache near2 system	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	2671	705/26 or 705/37	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	26	(705/26 or 705/37) and (cache near2 system)	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	13	(705/26 or 705/37) and (cache near2 system) and automatically	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	7	(705/26 or 705/37) and (cache near2 system) and automatically and rules	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	169	eliminat\$ near2 (duplicat\$ near2 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	45	(eliminat\$ near2 (duplicat\$ near2 data)) and insert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	0	(eliminat\$ near2 (duplicat\$ near2 data)) and insert\$ and if	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	0	if near2 duplicat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	0	if near2 insert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	4269	707/3	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	707/3 and (if near2 insert\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	1767	707/3 and insert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	0	(707/3 and insert\$) and (duplicat\$ near2 data) and if	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	86	(707/3 and insert\$) and (duplicat\$ near2 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	504	707/\$.ccls. and (duplicat\$ near2 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	0	(707/\$.ccls. and (duplicat\$ near2 data)) and (if same insert\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	262	(707/\$.ccls. and (duplicat\$ near2 data)) and insert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	0	(707/\$.ccls. and (duplicat\$ near2 data)) and insert\$ and if	USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	262	(707/\$.ccls. and (duplicat\$ near2 data)) and insert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	88	(707/\$.ccls. and (duplicat\$ near2 data)) and (insert\$ near2 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	48	(707/\$.ccls. and (duplicat\$ near2 data)) and (insert\$ near2 data) and condition	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	BRS	4117	(web near2 server) and payment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	95	((web near2 server) and payment) and (server near2 tool\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	92	((((web near2 server) and payment) and (server near2 tool\$)) and (search\$ or retriev\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	76	(((((web near2 server) and payment) and (server near2 tool\$)) and (search\$ or retriev\$)) and (provider or seller\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	26635	web near2 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	100	((web near2 server) and payment) and (tool\$ near2 server\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	70	((((web near2 server) and payment) and (tool\$ near2 server\$)) and providers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	39	((((web near2 server) and payment) and (tool\$ near2 server\$)) and providers	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	39	((((web near2 server) and payment) and (tool\$ near2 server\$)) and providers and database	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	51	client/server near2 tool\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	32	(web near2 server) and (client/server near2 tool\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	1209	((web near2 server) and payment)	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	25	((web near2 server) and (client/server near2 tool\$)) and ((web near2 server) and payment)	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	26635	web near2 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1501	(web near2 server) and (provider\$ near2 server\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	1501	((web near2 server) and (provider\$ near2 server\$)) and (web near2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	44	((((web near2 server) and (provider\$ near2 server\$)) and (web near2 server)) and (server near2 tools)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	42	(((((web near2 server) and (provider\$ near2 server\$)) and (web near2 server)) and (server near2 tools)) and (search\$ or retriev\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	7244	(download\$ or install\$) near2 application	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	2920	(download\$ or install\$) near2 applications	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	253	((download\$ or install\$) near2 applications) and (web near2 server\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	89	((((download\$ or install\$) near2 applications) and (web near2 server\$)) and payment	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	89	(((((download\$ or install\$) near2 applications) and (web near2 server\$)) and payment) and (client\$ or	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	87	(((((download\$ or install\$) near2 applications) and (web near2 server\$)) and payment) and (client\$ or user\$)) and (search\$ or retriev\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	60	((((((download\$ or install\$) near2 applications) and (web near2 server\$)) and payment) and (client\$ or user\$)) and (search\$ or retriev\$)) and (provider\$ same server\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	1	(information near2 transacting).ti.	US-PGPUB
27	BRS	41	(automatically near2 (invalidat\$ or validat\$)).clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	105	"L41" and (updat\$ or change\$).clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
29	BRS	17	((automatically near2 (invalidat\$ or validat\$)).clm.) and (updat\$ or change\$).clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	317	(automatically near2 updat\$) same product\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	2	((automatically near2 updat\$) same product\$) and (cache near2 system)	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	42	((automatically near2 updat\$) same product\$) and caches	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	10685	705/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	440	705/\$.ccls. and (automatica\$ near2 updat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	144	(705/\$.ccls. and (automatica\$ near2 updat\$)) and rules	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	11	(705/\$.ccls. and (automatica\$ near2 updat\$)) and rules and caches	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	6865	automatica\$ near2 updat\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	237	(automatica\$ near2 updat\$) and caches	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	83	((automatica\$ near2 updat\$) and caches) and rules	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	57	((automatica\$ near2 updat\$) and caches) and rules) and notification	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	596	707/202.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	0	(707/202.ccls. and (automatically near2 updat\$).ab.) and (caches)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	3	707/202.ccls. and (automatically near2 updat\$).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	8844	cache near2 system	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	1329	(cache near2 system) and server\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	667	((cache near2 system) and server\$) and client	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	26	((cache near2 system) and server\$) and client) and (automatically near2 updat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	14	((cache near2 system) and server\$) and client) and (automatically near2 updat\$) and caches	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	612	multiple near2 caches	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	(multiple near2 caches) and (automatically near2 updat\$).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	7	(multiple near2 caches) and (automatically near2 updat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	8844	cache near2 system	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	32	automatic\$ near2 invalidation	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	7	(automatic\$ near2 invalidation) and caches	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	9043	automatic\$ near2 check\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	20	(automatic\$ near2 check\$) and (cache near system)	USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	2404	(automatically near2 updat\$).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	12	((automatically near2 updat\$).ab.) and (cache near2 system)	USPAT; EPO; JPO; DERWENT; IBM_TDB